

ADDITIONS TO THE PLANTS OF CORBETT NATIONAL PARK, U.P.¹

P. C. PANT, B. P. UNIYAL AND R. PRASAD²

In the present paper 256 species are added to the list of plants of Corbett National Park.

Under the programme of working out the flora of National Parks and Game sanctuaries Northern Circle of the Botanical Survey of India undertook a project for preparing a complete floristic account of the Corbett National Park (Nainital and Garhwal District) in north western U.P. Before the final preparation of the account covering all aspects it has been felt necessary to prepare check-lists for correlating ecological and other observations.

From the initial two explorations conducted, the senior author published a list of plants of Corbett National Park comprising of 232 species. Later more collections were gathered from the area by K. P. Janardhanan in 1972. Critical study of the specimens continued and materials were gradually housed in the BSD Herbarium. As a result of subsequent exploration two notes relating to interesting distribution of species and new records were published (Janardhanan & Prasad 1975 & Janardhanan and Uniyal 1973). In addition to the earlier list 256 species reported in this paper turned out to be the additions to the previous list.

The additional plants species collected are enumerated here according to their habit.

TREES

- Alangium salvifolium* (L.F.) Wang
Albizia procera Benth.
Bridelia verrucosa Haines
Buchanania lanza Spreng.
Butea monosperma (Lamk.) Taub.
Casearia elliptica Willd.

- Cassine glauca* (Rottb.) Kuntze
Clausena pentaphylla DC.
Cordia dichotoma Forst. f.
C. vestita Hook. f. & Thoms.
Crataeva adansonii DC. ssp. *odora* (Buch.-Ham.) Jacobs.
Drypetes roxburghii (Wall.) Hurus.
Ehretia acuminata R. Br.
Embelia tsjeriam-cottam (Roem. & Sch.) A. DC.
Erythrina suberosa Roxb.
Ficus arnottiana Miq.
F. hispida L.f.
F. infectoria Roxb.
F. racemosa L.
F. rumpfii Blume
F. semicordata Buch.-Ham.
Flacourtia indica (Burm. f.) Merr.
Garuga pinnata Roxb.
Grewia elastica Royle
Lannea coromandelica (Houtt.) Merr.
Litsea glutinosa (Lour.) C. B. Robins.
L. monopetala (Roxb) Pers.
Miliusa velutina Hook. f. et Thoms.
Morus alba L.
Nyctanthes arbor-tristis L.
Phoebe lanceolata Nees
Pongamia pinnata (L.) Pierre
Premna barbata Wall. ex Schauer
P. latifolia Roxb. var. *Mucronata* (Roxb.) Clarke
Quercus leucotrichophora A. Camus ex Bahadur
Sapium insigne Trimen
Schleichera oleosa (Lour.) Oken.
Stereospermum suaveolens DC.
Syzygium cerasioides (Roxb.) Chatt. & Kanjilal
Terminalia bellerica (Gaertn.) Roxb.
T. chebula Retz.
Toona ciliata Roem.
Wrightia tomentosa (Roxb.) R. & S.
Ziziphus glaberrima Santapau

¹ Accepted September 1979.

² Botanical Survey of India, Northern Circle, Dehra Dun.

PLANTS OF CORBETT NATIONAL PARK

SHRUBS

- Acacia pseudo-eburnea* J. R. Drumm.
Antidesma diandrum Roth
Ardisia humilis Vahl
Asparagus racemosus Willd.
Azanza lampas (Cav.) Alef.
Boehmeria macrophylla D. Don
Calotropis gigantea (L.) R. Br.
C. procera (Ait.) R. Br.
Caryopteris wallichiana Schauer
Coffea bengalensis Heyne ex R. & S.
Combretum namum Buch.-Ham. ex D. Don
Datura metel L.
Debregeasia hypoleuca Wedd.
Gardenia turgida Roxb.
Grewia sapida Roxb.
Indigofera cassioides Rottl. ex. DC.
Ipomoea fistulosa Mart. ex Choisy
Jatropha curcas L.
Lantana camara L. var. *aculeata* (L.) Moldenke
Leucomeris spectabilis D. Don
Moghania macrophylla (Willd.) O. Ktze.
Phlogacanthus thyrsiflorus Nees
Rubus niveus Thunb.
Solanum indicum L.
Vitex negundo L.

HERBS

- Ajuga bracteosa* Wall. ex Benth.
A. macrosperma Wall. ex Benth.
Artemisia parviflora Buch.-Ham. ex Roxb.
Asystasia macrocarpa Nees
Baliospermum montanum (Willd.) Muell.-Arg.
Biophytum sensitivum (L.) DC.
Blumea fistulosa (Roxb.) Kurz.
B. laciiniata (Roxb.) DC.
B. mollis (D. Don) Merr.
B. oxyodonta (Wall.) DC.
Campanula colorata Wall. ex Roxb.
Chirita pumila D. Don
Cirsium arvense (L.) Scop.
Clinopodium umbrosum (M. Bieb.) C. Koch
Costus speciosus Sm.

- Cotula anthemoides* L.
Crotalaria medicaginea Lamk.
C. prostrata Rottl. ex Willd.
Curcuma angustifolia Roxb.
Cynoglossum zeylanicum (Vahl) Thunb. ex Lehm.
Desmodium microphyllum (Thunb.) DC.
D. triflorum (L.) DC.
Eclipta prostrata (L.) L.
Eranthemum nervosum (Vahl) R. Br.
Erigeron asterooides Roxb.
Eulophia dabia (D. Don) Hochr.
Euphorbia geniculata Orteg.
Gnaphalium luteo-album L.
Hartmannia rosea G. Don
Hedychium ellipticum Hamilt. ex Rees
Hedyotis pinifolia Wall. ex G. Don
Heliotropium strigosum Willd.
Hemigraphis rupestris Heyne ex T. Andr.
Hypericum japonicum Thunb.
Kohautia gracilis (Wall.) DC.
Lactuca dissecta D. Don
Laggera falcata (D. Don) O. Ktze
Lepidagathis cuspidata (Wall.) Nees
Leucas hyssopifolia Benth.
Lindernia cordifolia (Colsm.) Merr.
L. crustacea (L.) F. V. Muell.
L. sessiliflora (Benth.) Wettst.
L. viscosa (Hornem.) Boldingh
Lobelia heyneana Roem. & Sch.
Mazus delavayi Bonati
Mollugo pentaphylla L.
Mosla dianthera (Buch.-Ham. ex Roxb.) Maxim.
Oldenlandia corymbosa L.
Orthosiphon rubicundus Benth.
Pachystoma senile Reichb. f.
Persicaria nepalensis (Meissn.) H. Gross.
Peucedanum dana Buch.-Ham. ex Clarke
Phyllanthus debilis Klein. ex Willd.
Physalis minima L. var. *indica* Clarke
Plumbago zeylanica L.
Polygala crotalariaoides Buch.-Ham. ex DC.
Polygonum plebejum R. Br.
P. serrulatum Lagasc.
P. stagninum Buch.-Ham. ex Meissn.

- Portulaca oleracea* L.
Potentilla indica (Andr.) Wolf.
Psilotrichum ferrugineum (Roxb.) Moq.
Saussurea heteromalla (D. Don) Hand.-Mazz.
Senecio chrysanthemoides DC.
S. nudicaulis Buch.-Ham. ex D. Don
Sonchus arvensis L.
Sonerila tenera Royle
Sphaeranthus indicus L.
Tephrosia purpurea Pers.
Verbascum chinense (L.) Sant.
Vernonia squarrosa (D. Don) Less.
Vicoa vestita Benth. ex Hook. f.
Youngia japonica (L.) DC.
Zingiber capitatum Roxb.
Z. roseum (Roxb.) Rosc.

Microstegium ciliatum (Trin.) A. Camus
Narenga porphyrocoma (Hance) Bor
Neyraudia arundinacea (L.) Henr.
Opismenus burmannii (Retz.) P. Beauv.
Panicum antidotale Retz.
P. austroasiaticum Ohwi.
P. montanum Roxb.
Phragmites karka (Retz.) Trin. ex Steud.
Pogonatherum paniceum (Lamk.) Hack.
Pseudosorghum fasciculare (Roxb.) A. Camus
Rottboellia exaltata L.f.
Saccharum bengalense Retz.
Setaria barbata (Lamk.) Kunth
S. geniculata (Lamk.) P. Beauv.
S. homonyma (Steud.) Chiov.
S. pallide-fusca (Schum.) Stapf et C. E. Hubb.
Themeda quadrivalvis (L.) O. Ktz.

GRASSES

- Aristida cyanantha* Nees ex Steud.
Arthraxon lancifolius (Trin.) Hochst.
Arundinella bengalensis (Spreng.) Druce
A. nepalensis Trin.
A. pumila (Hochst.) Steud.
Arundo donax L.
Bothriochloa intermedia (R. Br.) A. Camus var.
 punctata (Roxb.) Keng
B. pertusa (L.) A. Camus
Brachiaria ramosa (L.) Stapf
Capillipedium assimile (Steud.) A. Camus
Chionachne koenigii (Spr.) Thw.
Chloris dolichostachya Lagasca
Chrysopogon serrulatus Trin.
Cynodon dactylon (L.) Pers.
Cyrtococcum accrescens (Trin.) Stapf
Dactyloctenium aegyptium (L.) P. Beauv.
Digitaria longiflora (Retz.) Pers.
Echinochloa colonum (L.) Link
Eragrostis atrovirens (Desf.) Trin, ex Steud.
Erianthus filifolius Nees ex Steud.
Hackelochloa granularis (L.) O. Ktze.
Heteropogon contortus (L.) P. Beauv.
H. melanocarpus (Ell.) Benth.
Isachne miliacea Roth

SEDGES

- Bulbostylis barbata* (Rottb.) Clarke
Carex myosurus Nees
Cyperus compressus L.
C. corymbosus Rottb.
C. haspan L.
C. niveus Retz.
C. pangorei Rottb.
C. pilosus Vahl
C. pumilus L.
C. rotundus L.
Fimbristylis bisumbellata (Forsk.) Bub.
F. dichotoma (L.) Vahl
Lipocarpha chinensis (Osb.) Kern.
Scirpus mucronatus L.
Scleria parvula Steud.

AQUATIC, WET OR MARSH HERBS

- Bacopa monnieri* (L.) Pennell
Cardamine scutata Thunb. ssp. *flexuosa* (With.)
 Hara
Centella asiatica (L.) Urban
Centipeda minima (L.) A. Br. & Asch.

PLANTS OF CORBETT NATIONAL PARK

Cyanotis cristata (L.) D. Don
Hoppea dichotoma Willd.
Ludwigia octovalvis (Jacq.) Raven
Murdannia scapiflora (Roxb.) Royle
Phyla nodiflora (L.) Greene
Potamogeton nodosus Poir.
Ranunculus sceleratus L.
Rotala indica (Willd.) Koehne
R. mexicana Cham. & Schlecht.
R. rotundifolia Koehne
Veronica anagallis-aquatica L.

WOODY CLIMBERS

Celastrus paniculatus Willd.
Helinus lanceolatus Brand.
Hiptage benghalensis (L.) Kurz.
Jasminum arborescens Roxb.
J. roxburghianum Wall. ex DC.
Leptadenia reticulata W. & A.
Mucuna nigricans (Lour.) Steud.
Phothos cathcartii Schott
Pueraria tuberosa (Roxb. ex Willd.) DC.
Rhaphidophora glauca Schott
Sabia paniculata Edgew. ex Hook. f. et T.
Tetrastigma campylocarpum (Kurz.) Planch.
Vitis semicordata Planch.

HERBACEOUS AND SUBWOODY CLIMBERS

Atylosia mollis Benth.
Cardiospermum halicacabum L.
Dioscorea belophylla Voigt

D. bulbifera L.
Diplocyclos palmatus (L.) Jeffrey
Mucuna capitata W. & A.
Piper nigrum L.
Rhynchosia minima DC.
Smilax zeylanica L.
Trichosanthes cucumerina L.
T. dioica Roxb.

OCCASIONAL EPIPHYTES

Ficus benjamina L.
F. hederacea Roxb.
F. retusa L.

PARASITES

Viscum nepalense Spreng.

FERNS AND FERN-ALLIES

Ampelopteris prolifera (Retz.) Copel.
Ceratopteris siliguosa (L.) Copel.
Diplazium esculentum (Retz.) Sw.
D. japonicum (Thunb.) Bedd.
Dryopteris crenata (Forsk.) O. Ktze.
D. rampans (Baker) C. Chr.
Nephrodium cucullatum Baker
Psilotum nudum (L.) Griseb.
Pyrrosia flocculosa (D. Don) Ching
Riccia fluitans L.
Selaginella involvens (Sw.) Spring.
S. subdiaphana (Wall.) Spring.
Thelypteris subpubescens (Bl.) Iwats.

REFERENCES

- JANARDHANAN, K. P. & PRASAD, R. (1975) : On the occurrence of *Ziziphus glaberrima* Sant. in N. India. *J. Bombay nat. Hist. Soc.* 71 (2) : 344.
 ----- & UNIYAL, B. P. (1973) : On the occurrence of *Hypericum japonicum* Thunb. ex Murr. in the Upper Gangetic Plain. *Curr. Sci.* 42 (13) : 478.
 PANT, P. C. (1976) : Plants of Corbett National Park, Uttar Pradesh. *J. Bombay nat. Hist. Soc.* 73 (2) : 287-295.